Index

Volume 2 1975–1976

Abril F.: *see* Pennisi V. R. jt auth.
Abston S.: *see* Harris N. S. jt auth.
Accident prevention, safety and first aid and, teaching of in schools, 204
Active immunization in burns, 54
Acute burn, combined efficacy of Travase and silver sulphadiazine in, 169
Alberti K. G. M. M.: *see* Batstone G. F. jt auth.
Allografts, split-skin, freeze-dried and non-freeze-dried, on excised burns, 36
Ambulant treatment of scalds, 158
Analgesic in burns, Penthrane as, 79
Arturson G.: *see* Danielsson U. jt auth.
Ascorbic acid content of burned skin in relation to infection, 173
Asko-Seljavaara S., Sundell B. and Rytömaa T.: Effect of early excision on bone-marrow cell growth in burned mice, 140

Baar S.: The effect of silver compounds on the metabolism of human red cells, 58
Bacteraemia, relationship of Travase débridement and development of, 261
Bailey B. N.: *see* Sykes P. J. jt auth.
Barnett R. A.: *see* Boyd J. R. P. jt auth.
Barton G. M. G.: The ascorbic acid content of burned skin in relation to infection, 173
Batstone G. F., Alberti K. G. M. M., Hinks L., Smythe P., Laing J. E., Ward C. M., Ely D. W. and Bloom S. R.: Metabolic studies in subjects following thermal injury, 207
Bermudez A.: *see* Recatero L. jt auth.
Bloem J. J. A. M. and Hermans R. P.: The deeper burn of the face and surrounding area, 124
Blood flow, pressure and resistance measured with strain gauge plethysmograph in limbs with constricting burns, 226
Bloom S. R.: *see* Batstone G. F. jt auth.
Bond T. P.: *see* Hayashi M. jt auth.
Bone involved in burns of scalp, 254
Bone-marrow cell growth, effect of early excision on, 140
Bowen-Jones E.: *see* Lendrum J. jt auth.
Boyd P. J. R., Tucker S. M., Thompson A. E., Barnett R. A. and Sanders R.: Urinary N-acetyl-beta-D-glucosaminidase as an indicator of renal damage in burned patients, 76
Browning F. S. C.: *see* Moores B jt auth.
Buchan N. G.: Raynaud's syndrome after burns of the hand, 122
Burn(s), acute, combined efficacy of Travase and silver sulphadiazine in, 169
  constricting, in limbs, measurement of blood flow, pressure and resistance in, with strain gauge plethysmograph, 226
  deeper, of face and surrounding area, 124
  disease complicated by cytomegalovirus infection, 147
  hand, Raynaud's syndrome after, 122
  hand, treatment of, with occlusive bags, 162
  infection, recent studies in the control of, 26
  inhalation, 115
  injury complicated by vaccinia, 14
  into joints, 90
  in Japan, statistical study of deaths resulting from, 115
  scalp involving bone: an alternative technique, 254
  sepsis, topical gentamicin cream as prophylaxis against, 128
  severe, ethical problems associated with treatment of, 137
  unit, incidence and significance of hepatitis B (surface) antibody in, 33
Burn-wound sepsis—a 10-year experience, 1
Burned patients, some observations on ceruloplasmin in, 250
Burned skin, ascorbic acid content of, in relation to infection, 173

Caines L. W.: *see* Snelling C. F. T. jt auth.
Capozzi A.: *see* Pennisi V. R. jt auth.
Carswell J. W.: A fire at Nakivubo, Kampala: a case report. III. One-year follow-up of a group of burned patients, 191
Carswell J. W. and Hathaway A. E.: A fire at Nakivubo, Kampala: a case report. II. Infection in a group of burned patients, 184
Carswell J. W. and Rambo W. A.: A fire at Nakivubo, Kampala: a case report. I. Management of the burned patients, 178
Ceruloplasmin in burned patients, some observations on, 250
Combined efficacy of Travase and silver sulphadiazine in the acute burn, 169

Comparison of fresh, frozen and lyophilized porcine skin as xenografts on burned patients, 71
Compton J. B.: *see* Harris N. S. jt auth.
Conservative means of reducing the intensity and duration of thermally induced oedema, 143
Constricting burns in limbs, measurement of blood flow, pressure and resistance in, with strain gauge plethysmograph, 226
Curreri P. W.: Metabolic and nutritional aspects of thermal injury, 16
Cytomegalovirus infection, burn disease complicated by, 147

Danielsson U., Arturson G. and Wennberg L.: Elimination of hypermetabolism in burned patients, 110
Danielsson, U., Arturson G. and Wennberg L.: New technique for the long-term stable measurement of energy expenditure, 107
Débridement (*see also* Excision)
Travase, and development of bacteraemia, relationship of, 261
Deeper burn of the face and surrounding area, 124
Discriminant function analysis of the likelihood of a patient contracting pseudomonas, 22
Donor-site dressing, the quest for a cheap and painless, 82
Døssing, M., Gerdes N. and Paulev P.-E.: Local blood flow, pressure and resistance measured with strain gauge plethysmograph in limbs with constricting burns before and following treatment with incisional decompression, 226
Døssing M. and Sørensen B.: Freeze-dried and non-freeze-dried split-skin allografts on excised burns, 36
Dressing, donor-site, quest for a cheap and painless, 82
new, for burns, 86

Editorial, 203
Effect of early excision on bone-marrow cell growth in burned mice, 140
mannitol and nicotinic acid on renal papillary blood flow in burned hamsters, 245
nicotinic acid upon post-burn oedema: a preliminary report of clinical trials, 152
silver compounds on the metabolism of human red cells, 58
Elimination of hypermetabolism in burned patients, 110
Ely D. W.: *see* Batstone G. F. jt auth.
Energy expenditure, new technique for the long-term stable measurement of, 107
Ethical problems associated with the treatment of severe burns, 137
Excised burns, freeze-dried and non-freeze-dried split-skin allografts on, 36
Excision, early, effect of on bone-marrow cell growth, 140

Face and surrounding area, deeper burn of, 124
Fire at Nakivubo, Kampala: a case report. I. Management of burned patients, 178; II. Infection in a group of burned patients, 184; III. One-year follow-up of a group of burned patients, 191
First aid, safety and accident prevention and, teaching of in schools, 204
Follow-up, one-year, of a group of burned patients, 191
Foster S.: *see* Gardner A. W. jt auth.
Freeze-dried and non-freeze-dried split-skin allografts on excised burns, 36

Gardner A. W. and Foster S.: Teaching safety, accident prevention and first aid in schools, 204
Gerdes N. and Sørensen B.: Ambulant treatment of scalds, 158
Gerdes N.: *see* Døssing M. jt auth.
Graft(s): *see also* Allograft, Xenograft
heteroplastic, use of, 47
Guest M. M.: *see* Hayashi M. jt auth.

Hand, burns of, Raynaud's syndrome after, 122
burns, treatment of, with occlusive bags, 162
Harris N. S., Compton J. B., Abston S. and Larson D. L.: Comparison of fresh, frozen and lyophilized porcine skin as xenografts on burned patients, 71
Harris N. S., Compton J. B. and Larson D. L.: Relationship of Travase débridement and the development of bacteraemia, 261
Hathaway A. E.: *see* Carswell J. W. jt auth.
Hayashi M., Bond, T. P., Wells, C. H. and Guest M. M.: Effects of mannitol and nicotinic acid on renal papillary blood flow in burned hamsters, 245
Hepatitis B (surface) antibody, incidence and significance of, in a burns unit, 33
Hermans R. P.: *see* Bloem J. J. A. M. jt auth.
Heteroplastic grafts, use of, 47
Hilton J. G.: *see* Wells C. H. jt auth.
Hinks L.: *see* Batstone G. F. jt auth.
Hirshowitz B.: *see* Mahler D. jt auth.
Hopkins R.: *see* Stott W. G. jt auth.
Hypermetabolism in burned patients, elimination of, 110

Immunization, active, in burns, 54
Incidence and significance of hepatitis B (surface) antibody in a burns unit, 33
Incisional decompression, treatment of constricting burns in limbs by, measurement of local blood flow, pressure and resistance following, by strain gauge plethysmograph, 226
Infection in a group of burned patients, 184
relation of ascorbic acid content of burned skin to, 173
Inhalation burn. Statistical study of flame-burned patients and deaths resulting from burns in Japan, 115

Jackson D. MacG.: Burns into joints, 90
Joints, burns into, 90

Kernahan D. A.: *see* Snelling C. F. T. jt auth.
Königová R.: The ethical problems associated with the treatment of severe burns, 137
Königová R. and Seeman J.: Burn disease complicated by cytomegalovirus infection, 147

Laing J. E.: *see* Batstone G. F. jt auth.
Laing J. E.: *see* Spurr, E. D. jt auth.
Larson D. L.: *see* Harris N. S. jt auth.
Larson D. L.: *see* Wells C. H. jt auth.
Lendrum J. and Bowen-Jones E.: A new dressing for burns, 86
Local blood flow, pressure and resistance measured with strain gauge plethysmograph in limbs with constricting burns before and following treatment with incisional decompression, 226
Lowbury E. J. L.: Recent studies in the control of burn infection, 26

McClean W. J.: *see* Pegg S. P. jt auth.
MacMillan B. G.: Burn-wound sepsis—a 10-year experience, 14
Mahler D. and Hirshowitz B.: The use of xenografts in the treatment of burns, 44
Management of burned patients, 178
Mannitol and nicotinic acid, effects of, on renal papillary blood flow in burned hamsters, 245
Metabolic and nutritional aspects of thermal injury, 16
  studies in subjects following thermal injury, 207
Metabolism of human red cells, effect of silver compounds on, 58
Mirelis E.: *see* Recatero L. jt auth.
Moores B., Rahman M. M., Browning F. S. C. and Settle J. A. D.: Discriminant function analysis of the likelihood of a patient contracting pseudomonas, 22

New dressing for burns, 86
  technique for the long-term stable measurement of energy expenditure, 107
Nicotinic acid, effect of upon post-burn oedema, 152
  acid and mannitol, effects of, on renal papillary blood flow in burned hamsters, 245
Nitrogen balance and nutritional requirement in the burn patient: a reappraisal, 238
Nutritional requirement, nitrogen balance and, in the burn patient, 244

Obituary, Joshua Samuel Horn, 267
Occlusive bags, treatment of hand burns with, 162
Oedema, post-burn, effects of nicotinic acid upon, 152
  thermally induced, conservative means of reducing the intensity and duration of, 143
O'Ya H.: Inhalation burn. Statistical study of flame-burned patients and deaths resulting from burns in Japan, 115

Paulev P.-E.: *see* Døssing M. jt auth.
Pegg, S. P. and McClean W. J.: Burn injury complicated by vaccinia, 14
Pennisi V. R., Abril F. and Capozzi A.: The combined efficacy of Travase and silver sulphadiazine in the acute burn, 169
Penthrane as an analgesic in burns, 79
Piller N. B.: A conservative means of reducing the intensity and duration of thermally induced oedema, 143
Porcine skin as xenograft, comparison of fresh, frozen and lyophilized, 71
Pseudomonas, likelihood of patient contracting, discriminant function analysis of, 22

Quest for a cheap and painless donor-site dressing, 82

Rahman M. M.: *see* Moores B. jt auth.
Rambo W. A.: *see* Carswell J. W. jt auth.
Raynaud's syndrome after burns of the hand, 122
Recatero L., Bermudez A. and Mirelis E.: Penthrane as an analgesic in burns, 79
Recent studies in the control of burn infection, 26
Relationship of Travase débridement and the development of bacteraemia, 261
Renal damage in burned patients, urinary N-acetyl-beta-D-glucasaminidase as an indicator of, 76
  papillary blood flow in burned hamsters, effects of mannitol and nicotinic acid on, 245
Review
  Teaching of Basic Burn Care (I. Feller and C. A. Jones), 268
Robinson P. H.: *see* Smith P. J. jt auth.
Ronald A. R.: *see* Snelling C. F. T. jt auth.
Rytömaa T.: *see* Asko-Seljavaara S. jt auth.

Sanders R.: *see* Boyd J. R. P. jt auth.
Scalds, ambulant treatment of, 158
Scalp, burns of, involving bone, 254
Seeman J.: *see* Königová R. jt auth.
Sepsis, burn-wound, a 10-year experience, 1
Settle J. A. D.: *see* Moores B. jt auth.
Severe burns, treatment of, ethical problems associated with, 137
Shakespeare P. G.: *see* Spurr E. D. jt auth.
Shuck J. M.: The use of heteroplastic grafts, 47
Silver compounds, effect of, on metabolism of human red cells, 58
  sulphadiazine, Travase and, combined efficacy of, in acute burn, 169
Sloan D. F.: *see* Wells C. H. jt auth.
Smith P. J. and Robinson P. H.: Burns of the scalp involving bone: an alternative technique, 254
Smythe P.: *see* Batstone G. F. jt auth.
Snelling C. F. T., Ronald A. R., Waters W. R., Kernahan D. A., Vistnes L. M. and Caines L. W.: Topical gentamicin cream as prophylaxis against burn-wound sepsis, 128
Some observations on ceruloplasmin in burned patients, 250
Sørensen B.: *see* Døssing M. jt auth.
Sørensen B.: *see* Gerdes N. jt auth.
Split-skin allografts, freeze-dried and non-freeze-dried, on excised burns, 36
Spurr E. D., Laing J. E. and Shakespeare P. G.: Some observations on ceruloplasmin in burned patients, 250

Stott W. G. and Hopkins R.: Incidence and significance of hepatitis B (surface) antibody in a burns unit, 33
Strain gauge plethysmograph, local blood flow, pressure and resistance measured with, in limbs with constricting burns, 226
Sundell B.: *see* Asko-Seljavaara S. jt auth.
Sutherland A. B.: Nitrogen balance and nutritional requirement in the burn patient: a reappraisal, 238
Sykes P. J. and Bailey B. N.: Treatment of hand burns with occlusive bags: a comparison of 3 methods, 162

Teaching safety, accident prevention and first aid in schools, 204
Thermal injury, metabolic and nutritional aspects, 16
injury, metabolic studies in subjects following, 207
Thermally induced oedema, conservative means of reducing the intensity and duration of, 143
Thompson A. E.: *see* Boyd J. R. P. jt auth.
Topical gentamicin cream as prophylaxis against burn-wound sepsis, 128
Townsend P. L. G.: Quest for a cheap and painless donor-site dressing, 82
Travase débridement and development of bacteraemia, relationship of, 261
and silver sulphadiazine, combined efficacy of, in acute burn, 169
Treatment of hand burns with occlusive bags: a comparison of 3 methods, 162
Tucker S. M.: *see* Boyd J. R. P. jt auth.

Urinary N-acetyl-beta-D-glucosaminidase as an indicator of renal damage in burned patients, 76
Use of heteroplastic grafts, 47
xenografts in the treatment of burns, 44

Vaccinia, burn injury complicated by, 14
Vistnes L. M.: *see* Snelling C. F. T. jt auth.

Ward C. M.: *see* Batstone G. F. jt auth.
Waters W. R.: *see* Snelling C. F. T. jt auth.
Wells C. H., Hilton J. G., Larson D. L. and Sloan D. F.: Effects of nicotinic acid upon postburn oedema: preliminary report of clinical trials, 152
Wells C. H.: *see* Hayashi M. jt auth.
Wennberg L.: *see* Danielsson U. jt auth.

Xenografts, comparison of fresh, frozen and lyophilized porcine skin as, 71
use of, in the treatment of burns, 44

Zellner P. R. and Metzger E.: Active immunization in burns, 54